

Name: _____

Panther ID: _____

FINAL EXAM

Calculus I

Spring 2014

Important Rules:

1. Unless otherwise mentioned, to receive full credit you **MUST SHOW ALL YOUR WORK**. Answers which are not supported by work might receive no credit.
2. Please turn your cell phone off at the beginning of the exam and place it in your bag, **NOT** in your pocket.
3. No electronic devices (cell phones, calculators of any kind, etc.) should be used at any time during the examination. Notes, texts or formula sheets should **NOT** be used either. Concentrate on your own exam. Do not look at your neighbor's paper or try to communicate with your neighbor. Violations of any type of this rule will lead to a score of 0 on this exam.
4. Solutions should be concise and clearly written. Incomprehensible work is worthless.

1. (24 pts) Find the derivative of each of the following functions:

(a) $f(x) = 7x + 2^x - 3\pi^2$

(b) $f(x) = x^2 e^x$

(c) $f(x) = \tan(\sec(5x))$

(d) $f(x) = \sin^{-1} x - \sqrt{1 + x^2}$

2. (8 pts) Find $\frac{dy}{dx}$ where y is implicitly defined as a function of x by

$$x^3 y^2 - 5x^2 y + x = 1.$$

3. (24 pts) Find the following limits, if they exist

(a) $\lim_{x \rightarrow 3} \frac{x^2 - 9}{|x - 3|}$

(b) $\lim_{x \rightarrow 0} \frac{1 - \cos(3x)}{8x^2}$

(c) $\lim_{h \rightarrow 0} \frac{\sqrt{x+h} - \sqrt{x}}{h}$

(d) $\lim_{x \rightarrow +\infty} x^{(1/\sqrt{x})}$

4. (18 pts) Find each indicated antiderivative:

(a) $\int \left(3 - \frac{1}{1+x^2} + 2\sqrt{x}\right) dx$

(b) $\int \frac{\cos(2x)}{3 + \sin(2x)} dx$

(c) $\int x^2 e^{-x^3} dx$

5. (12 pts) Given the parametric curve $x(t) = t^2$, $y(t) = t - 3$:

(a) (4 pts) Sketch the curve in the xy plane, clearly indicating orientation.

(b) (8 pts) Find the tangent line to the curve at the point $(9, 0)$.

6. (8 pts) The sides of a cubic ice cube decrease at the rate of 0.2 cm/min. How fast is the surface area of the cube decreasing when the sides are 10 cm? Give units to your answer.

7. (10 pts) Use limits to find all asymptotes (horizontal and vertical) of the function $f(x) = \frac{2x^2 - x - 1}{x^2 - 1}$. You are NOT required to graph this function.

8. (12 pts) These are True or False questions. No partial credit. 2 points each.

a. A discontinuous function never has an absolute maximum. **True False**

b. If $\lim_{x \rightarrow 2^-} f(x) = \lim_{x \rightarrow 2^+} f(x) = f(2)$, then f is continuous at $x = 2$. **True False**

c. If $f'(2) = 0$ and $f''(2) < 0$ then f has a relative minimum at $x = 2$. **True False**

d. To compute the derivative of $\cos(\ln x)$ we must use the product rule. **True False**

e. If f is continuous at $x = 2$ then f is differentiable at $x = 2$. **True False**

f. If $\lim_{x \rightarrow 1} f(x) = 4$, then for x sufficiently close to 1, $f(x) < 4.01$. **True False**

9. (14 pts) A closed rectangular container with a square base is to have a volume of 2250 cubic inches. The material for the top and the bottom of the container will cost \$2 per square inch, and the material for the sides will cost \$3 per square inch. Find the dimensions of the container of least cost.

10. (16 pts) For $f(x) = x^4 - 6x^2 + 5$

- (a) Find the intervals on which f is increasing; on which f is decreasing.
- (b) Find the critical points and determine whether a relative minimum, relative maximum or neither occurs there.
- (c) Find the intervals on which f is concave up; on which f is concave down.
- (d) Find the coordinates of all inflection points.
- (e) Graph the function.

11. (10 pts) Use linear approximation (differentials) to approximate $\sqrt[3]{1003}$.

12. (8 pts) At 11 A.M. on a certain day the outside temperature was 76° F. At 11 P.M. the temperature dropped to 52° F. Show that at some instant during this period the temperature was decreasing at the rate of 2° F/h. Specify the result you are using.