## Exam #3, ver B

March 9, 2018

Name \_\_\_\_\_\_

- You will be told when to begin the work and when to terminate work on the examination. You must stop when instructed. Points may be deducted in case of violations.
- Please show your work to support your answers that require calculations. Correct but unsupported answers may not be given full credit.
- The use of a cell phone or other electronic communication devices during the examination is not allowed. The exam will be canceled and a grade of "0" will be assigned to anyone who uses a cell phone during the examination or if one is found within hands reach.
- Calculators are not allowed on this exam.
- The exam consist of two parts. Part I contains four multiple choice questions worth 5 points each. Part II contains five open ended questions worth 10 points each if not stated otherwise.

## Part I

Choose your answer from five available choices. No partial credit will be given for wrong answers.

- 1. Which of the following is a property of logarithms?
  - (a)  $\frac{\log A}{\log B} = \log\left(\frac{A}{B}\right)$
  - (b)  $\log\left(\frac{A}{B}\right) = \log A \log B$
  - (c)  $\log(AB) = \log A \cdot \log B$
  - (d)  $B \log A = \log(AB)$
  - (e) None of the above
- 2. The value of  $\log_5(\log_7 7)$  is
  - (a) -1
  - (b) 1
  - (c) 0
  - (d) 5
  - (e) None of the above
- 3. Choose the correct statement below regarding the following work:

$$\log(4) \cdot \log(25) = \log(100) = 2$$


- (a) The work is correct.
- (b) The work is incorrect since  $\log(100)$  is not 2.
- (c) The work is incorrect since product of logarithms is not a logarithm of a product.
- (d) Cannot make a conclusion from the given steps.
- 4. The expression  $3\log(x) \frac{1}{2}\log(y) + 3\log(z)$  can be condensed to the following form.
  - (a)  $\log\left(\frac{3x}{\frac{1}{2}yz^3}\right)$
  - (b)  $\frac{\log x^3}{\log(\sqrt{y}z^3)}$
  - (c)  $\log\left(\frac{x^3z^3}{\sqrt{y}}\right)$

(d) 
$$\log\left(\frac{x^2}{\sqrt{y}z^3}\right)$$


(e) None of the above

## Part II

- 5. Let  $f(x) = \log_2(-x+3)$ 
  - (a) (5 pts) Find the domain of f. Show your work, and answer alone will get no credit.
  - (b) (10 pts) Graph the function using transformations. Start with the graph of a basic function plot accurately at least three points and use them to perform the transformations. Do one transformation at a time. Name the transformation and write the equation of the resulting function. Draw asymptotes, if any.



(iii) transformation:



(c) (5 pts) Find the inverse of  $f(x) = \log_2(-x+3)$ 

6. (10 pts each) Solve the equation.

(a) 
$$3 + e^{2x-1} = 5$$

(b)  $4^{2x+1} = \frac{1}{4}$ 

(c)  $\ln(x+9) - \ln(2x) = \ln(x+2)$ 


(d)  $\log_4(x^2 - 4) = 2$ 


7. Write as the sum and/or difference of logarithms. Express powers as factors.

$$\ln\left(\frac{(x-2)^5(x+1)^3}{x^3}\right)$$

8. If  $f(x) = \log_6 x$  and  $g(x) = \log_6(x+1)$ , then what are the solutions of (f+g)(x) = 1?

9. Graph  $y = e^{x+5} - 3$  using transformations. Start with the graph of a basic function – **plot** accurately at least three points and use them to perform the transformations. Do one transformation at a time. Name the transformation and write the equation of the resulting function. Draw asymptotes, if any.





## (iii) transformation:

y=

				9					
				_					
				8					+
				7					
				6					
				5					
				4					+
				3					
				2					
				-					
				1					
_0_	8 _ 7 _	6 _ 5 _	1 _ 3 _	2 - 1	1 1	3 3 /	5 (	\$ 7	8 0
-9 -	8 -7 -	6 - 5 -	4 -3 -	2 -1	1 2	2 3 4	1 5 (	57	8 9
-9 -	8 -7 -	6 -5 -	4 -3 -	- 1	. i 2	2 3 4	15 (	57	8 9
-9 -	8 -7 -	6 -5 -	4 -3 -	-1 <u>2</u>	i 2	2 3 4	5 (	5 7	8 9
-9 -	8 –7 –	6 –5 –	4 -3 -	-1 	i 2 	2 3 4	5 (	5 7	8 9
<u>-</u> 9 –	8 -7 -	6 – 5 –	4 -3 -	-1 <u>2</u>	i 2	2 3 4	5 (	5 7	89
<u>-</u> 9 –	8 –7 –	6 –5 –	4 –3 –	-1 2 -3	1 2	2 3 4	5 (	5 7	8 9
<u>-</u> 9 _	8 -7 -	6 –5 –	4 -3 -	-1 -2 -3 4 -5	i 2	2 3 4	5 (	5 7	<u>\$</u> 9
<u>-9</u> -	8 -7 -	6 – 5 –	4 -3 -	-1 -3 -3 -5 6	- 1 2	2 3 2	5 (	5 Ż	<u>\$</u> 9
<u>-9</u> - 	8 –7 –	6 – 5 –	4 -3 -	-1 -3 4 -5 6 -7	- 	2 3 2	5 (	5 7	<u>\$</u> 9
<u>-9</u> -	8 –7 –	6 – 5 –	4 -3 -	-1 -2 -3 	- 	2 3 2	5 (	5 7	\$ 9
<u>-9</u> -	8 –7 –	6 –5 –	4 -3 -	-1 -2 -3 	- 	2 3 2	\$ 5 (	5 7	\$ 9
<u>-9</u> -	8 –7 –	6 –5 –	4 -3 -	-1 -3 4 -5 6 -7	- 	2 3 2	\$ 5 (	5 7	\$ 9

This page is intentionally left blank.