

International Astronomical Union
Commission G1

BIBLIOGRAPHY OF CLOSE BINARIES

No. 103

Editor-in-Chief:

W. Van Hamme

Editors:

H. Drechsel
D.R. Faulkner
P.G. Niarchos
D. Nogami
R.G. Samec
C.D. Scarfe
C.A. Tout
M. Wolf
M. Zejda

Material published by September 15, 2016

BCB issues are available at the following URLs:
http://ad.usno.navy.mil/wds/bsl/G1_bcb_page.html,
<http://www.konkoly.hu/IAUC42/bcb.html>,
<http://www.sternwarte.uni-erlangen.de/pub/bcb>, or
<http://faculty.fiu.edu/~vanhamme/IAU-BCB/>.

The bibliographical entries for *Individual Stars* and *Collections of Data*, as well as a few *General* entries, are categorized according to the following coding scheme. Data from archives or databases, or previously published, are identified with an asterisk. The observation codes in the first four groups may be followed by one of the following wavelength codes.

- g. γ -ray. i. infrared. m. microwave. o. optical
 r. radio u. ultraviolet x. x-ray

1. Photometric data

- a. CCD b. Photoelectric c. Photographic d. Visual

2. Spectroscopic data

- a. Radial velocities b. Spectral classification c. Line identification d. Spectrophotometry

3. Polarimetry

- a. Broad-band b. Spectropolarimetry

4. Astrometry

- a. Positions and proper motions b. Relative positions only c. Interferometry

5. Derived results

- a. Times of minima b. New or improved ephemeris, period variations
 c. Parameters derivable from light curves d. Elements derivable from velocity curves
 e. Absolute dimensions, masses f. Apsidal motion and structure constants
 g. Physical properties of stellar atmospheres h. Chemical abundances
 i. Accretion disks and accretion phenomena j. Mass loss and mass exchange
 k. Rotational velocities

6. Catalogues, discoveries, charts

- a. Catalogues b. Discoveries of new binaries and novae
 c. Identification of optical counterparts of γ -ray, x-ray, IR, or radio sources d. Finding charts

7. Observational techniques

- a. New instrument development b. Observing techniques
 c. Reduction procedures d. Data-analysis techniques

8. Theoretical investigations

- a. Structure of binary systems b. Circumstellar and circumbinary matter
 c. Evolutionary models d. Loss or exchange of mass and/or angular momentum

9. Statistical investigations

10. Miscellaneous

- a. Abstract b. Addenda or errata

Abbreviations

AD	accretion disk	HMXB	high-mass x-ray binary	QPO	quasi-periodic oscillation
BH	black hole	IP	intermediate polar	RV	radial velocity
CB	close binary	LC	light curve	SB	spectroscopic binary
CV	cataclysmic variable	LMXB	low-mass x-ray binary	WD	white dwarf
EB	eclipsing binary	NS	neutron star	WR	Wolf-Rayet star

Individual Stars

- EG And *Kenyon, S.J., Garcia, M.R.* 2016, AJ 152, 1. (2ad, 5dgj) Symbiotic star, 483-day circular orbit, M giant with very hot companion that ionizes M-star wind.
Shagatova, N., Skopal, A., Cariková, Z. 2016, A&A 588, A83. (2du*, 5j) Wind mass transfer in S-type symbiotic binaries. II. Indication of wind focusing.
- XZ And *Manzoori, D.* 2016, AstL 42, 329. (2a, 5cde) A semi-detached asynchronous binary system.
- V455 And
(HS 2331+3905) *Mukadam, A.S. et al.* (13 authors) 2016, ApJ 821, 14. (1ao) Constraints on the angular momentum evolution.
- EF Aql *Margon, B. et al.* (4 authors) 2016, PASP 128, 024201. (1u, 2d) Possible symbiotic Mira.
- XZ Aql *Zola, S. et al.* (9 authors) 2016, AJ 152, 33. (1ao, 2a, 5abcde, 8cd) Early-type semi-detached system.
- V1182 Aql *Li, L.-S.* 2016, ARep 60, 853. (8d) Retardation of the angular velocity of a rotating star due to mass loss; applied to the EB.
- V1333 Aql
(Aql X-1) *Walton, D.J. et al.* (20 authors) 2016, ApJ 826, 87. (1x, 2x) Soft state: a variable corona and a stable inner disk.
- V1343 Aql
(SS 433) *Atapin, K.E., Fabrika, S.N.* 2016, AstL 42, 517. (1x, 5i) X-ray variability of the HMXB: evidence for supercritical accretion.
Khabibullin, I., Sazonov, S. 2016, MNRAS 457, 3963. (1x*, 5i, 8) Reflection of collimated X-rays by galactic plane atomic gas and molecular clouds.
- V1487 Aql
(GRS 1915+105) *Miller, J.M. et al.* (10 authors) 2016, ApJL 821, L9. (2cdx, 5i) Measurement of the magnetic field and wind.
Mir, M.H. et al. (5 authors) 2016, MNRAS 457, 2999. (1x*, 8) Modelling of energy-dependent time lags of heartbeat oscillations gives hints on accretion geometry of the compact LMXB component.
Mizumoto, M. et al. (4 authors) 2016, PASJ 68, S16 (2dx, 5g) Origin of the X-ray broad iron spectral feature.
Peris, C.S. et al. (7 authors) 2016, ApJ 822, 60. (2dx) Analysis of X-ray spectra in steady states.
- V1723 Aql *Weston, J.H.S. et al.* (12 authors) 2016, MNRAS 457, 887. (1r, 5j) Shocks in classical nova envelope produced by fast flow/slow collimating torus collision, possibly responsible for hard X-rays, γ -rays and radio emission.
- AE Aqr *Hill, C.A. et al.* (5 authors) 2016, MNRAS 459, 1858. (1a, 5cgi, 8a) Long-term study of the secondary star using Roche tomography.
Isakova, P.B. et al. (5 authors) 2016, ARep 60, 498. (8abd) Features of matter flows in the peculiar CV.
- BQ Aqr *Ratajczak, M. et al.* (11 authors) 2016, MNRAS 461, 2234. (1ao, 2a, 5cdeg) Orbital and physical parameters of the ASAS catalogue EB.
- CY Aqr *Fang, W.-J. et al.* (8 authors) 2016, RAA 16, 96. (1ao, 5abc) The high-amplitude δ Scuti variable is probably a triple system.
- EZ Aqr *Popova, E.A., Shevchenko, I.I.* 2016, AstL 42, 260. (8) On possible circumbinary configurations of the triple star planetary system.

- FO Aqr *Bonnardeau, M.* 2016, IBVS No. 6181. (1a, 5b) IP new ephemerides.
Kennedy, M.R. et al. (8 authors) 2016, MNRAS 459, 3622. (1ao, 5abcgi) Photometric study.
- RY Aqr *Manzoori, D., Salar, A.* 2016, AJ 152, 26. (1o*, 2a*, 5abcde) EB with δ Sct primary and possible third body.
- R Ara *Bakiş, H. et al.* (4 authors) 2016, MNRAS 458, 508. (1ao*, 2a, 5cdijk) Detection of secondary lines and new spectroscopic orbit; rotational velocities ~ 5 times faster than synchronous; modelling of mass transfer and circumstellar matter.
- V801 Ara
(4U 1636–536) *de Avellar, M.G.B. et al.* (5 authors) 2016, MNRAS 461, 79. (5cgi, 8a) LMXB QPO phase lags across source states.
- V821 Ara
(GX 339–04) *Axelsson, M., Done, C.* 2016, MNRAS 458, 1778. (1x*, 2dx, 5i) Analysis of QPOs of the LMXB with an accreting BH component.
Basak, R., Zdziarski, A.A. 2016, MNRAS 458, 2199. (1x*, 2dx, 5i) Spectral X-ray analysis suggests AD truncation and reflection.
Clavel, M. et al. (4 authors) 2016, AN 337, 435. (1x*, 2dx) Spectral analysis of long-term 3-40 keV RXTE/PCA data; influence of Galactic background and reflection models tested.
Kalamkar, M. et al. (8 authors) 2016, MNRAS 460, 3284. (1oix, 5bgij) Detection of the first IR QPO.
Kubota, A., Done, C. 2016, MNRAS 458, 4238. (5gi, 8a) Tracking the energetics of the non-thermal disc-corona-jet in the LMXB.
Parker, M.L. et al. (17 authors) 2016, ApJL 821, L6. (2dx, 5ei) BH spin, AD inclination, mass and distance estimates.
Stevens, A.L., Uttley, P. 2016, MNRAS 460, 2796. (5gi, 8a) New spectral-timing technique for phase-resolved spectroscopy.
- RW Ari *Odell, A.P., Sreedhar, Y.H.* 2016, IBVS No. 6180. (1a, 2a, 5ab) An eclipsing RR Lyrae star?
- AH Aur *Yu, Y.-X., Xiang, F.-Y., Hu, K.* 2016, PASP 128, 044202. (5ab) Orbital-period investigation.
- V808 Aur
(CRTS CSS081231
J071126+440405) *Borisov, N.V. et al.* 2016, AstBu 71, 101. (7 authors) (1a, 2a, 5de) Photometric and spectral studies of the eclipsing IP.
- CR Boo *Isogai, K. et al.* (34 authors) 2016, PASJ 68, 64. (1ao, 5bcij) Superoutbursts in the AM CVn-type object: mass ratio estimate from stage A superhumps.
- HL CMa *Semena, A.N. et al.* (5 authors) 2016, AstL 42, 379. (1a, 2, 5i) Peculiarities of the accretion flow.
- BG CMi *Bonnardeau, M.* 2016, IBVS No. 6168. (1a, 5b) Photometric monitoring of the IP.
- BQ Cam
(V 0332+53) *Caballero-García, M. D. et al.* (10 authors) 2016, A&A 589, A9. (1aoi, 2dox, 5bi) Activity of the transient Be/XB during its intermediate-luminosity outburst in 2008.
Doroshenko, V., Tsygankov, S., Santangelo, A. 2016, A&A 589, A72. (2dg, 5k) Orbital parameters from the 2015 giant outburst data.
- MT Cam *Terrell, D., Gross, J., Cooney, W.R.* 2016, IBVS No. 6166. (1a, 5b) Using APASS standards to transform CCD observations.

SV Cam	<i>Manzoori, D.</i> 2016, AN 337, 652. (1ao, 5abceg) Absolute parameters from new V LC solution; $O - C$ analysis suggests cyclic variations of 48.0 and 23.2 yr possibly caused by a third body and magnetic spot activity (Applegate mechanism).
γ Cas	<i>Pollmann, E.</i> 2016, IBVS No. 6169. (2ad) Monitoring the RVs determined from the He I 6678 Å line.
AX Cas	<i>Liu, L. et al.</i> (5 authors) 2016, PASJ 68, 31. (1ao, 5abce) A precontact EB with a possible third body. <i>Yang, Y. et al.</i> (4 authors) 2016, PASP 128, 044201. (1ao, 5abc) Photometric study of semi-detached binary with possible light-time effect.
DN Cas	<i>Bakiş, V. et al.</i> (4 authors) 2016, PASA 33, 46. (1ao, 2abco, 5abcdek) EB in the OB Association OB6.
RZ Cas	<i>Khaliullina, A.I.</i> 2016, ARep 60, 517. (5ab) Orbital period variations.
V615 Cas (LS I +61°303)	<i>Saha, L., et al.</i> (5 authors) 2016, ApJ 823, 134. (2rxg) A microquasar with a relativistic jet.
V664 Cas	<i>Chiotellis, A. et al.</i> (5 authors) 2016, MNRAS 457, 9. (1aa*o, 5j, 8bc) 2D hydrodynamical simulations of cometary structure of planetary nebula HFG 1 based on the interaction of stellar wind mass loss of binary central star with circumbinary matter.
V1107 Cas	<i>Liu, L. et al.</i> (5 authors) 2016, PASJ 68, 31. (1ao, 5abce) A shallow-contact EB with a possible third body. <i>Yang, Y. et al.</i> (4 authors) 2016, PASP 128, 044201. (1ao, 5abc) Photometric study of contact binary with possible light-time effect.
V822 Cen (Cen X-4)	<i>Bernardini, F. et al.</i> (6 authors) 2016, ApJ 826, 149. (1x*, 2x*, 1o*) The optical–X-ray correlation from outburst to quiescence in the LMXB.
V850 Cen (GX 304–1)	<i>Jaisawal, G.K., Naik, S., Epili, P.</i> 2016, MNRAS 457, 2749. (1x, 2dx) Pulsations of Be/XB pulsar at ~ 275 s found during X-ray outbursts; pulse profiles are variable and strongly energy-dependent.
V1207 Cen	<i>Ratajczak, M. et al.</i> (11 authors) 2016, MNRAS 461, 2234. (1ao, 2a, 5cdeg) Orbital and physical parameters of the ASAS catalogue EB.
V1369 Cen (Nova Cen 2013)	<i>Cheung, C.C. et al.</i> (12 authors) 2016, ApJ 826, 142. (1o*, 2g) FERMI-LAT γ -ray detection.
EM Cep	<i>Kjurkchieva, D. et al.</i> (4 authors) 2016, AJ 152, 56. (2ad, 5i) Not a binary but a Be star with a circumstellar disk.
BW Cir (GS 1354–64)	<i>Koljonen, K.I.I. et al.</i> (8 authors) 2016, MNRAS 460, 942. (1aoux, 5cgij) The evolution of the 2015 outburst. <i>Stiele, H., Kong, A.K.</i> 2016, MNRAS 459, 4038. (1x, 5cg, 8a) The 2015 hard state-only outburst.
GP Com	<i>Kupfer, T. et al.</i> (6 authors) 2016, MNRAS 457, 1828. (2aco, 5dhjk) Strong double-peaked He emission lines typical for long-period AM CVn systems; evidence for an accreting WD; Doppler tomograms reveal strong bright spot on the AD.
V691 CrA (4U 1822–371)	<i>Niu, S. et al.</i> (6 authors) 2016, RAA 16, 5. (2dx, 5i) The orbital phase resolved spectroscopy of the LMXB with Suzaku.
RW CrB	<i>Khaliullina, A.I.</i> 2016, ARep 60, 807. (5ab) Orbital-period variations of the Algol-type EB.
Y Cyg	<i>Li, L.-S.</i> 2016, ARep 60, 853. (8d) Retardation of the angular velocity of a rotating star due to mass loss, applied to the EB.

- SS Cyg *Russell, T.D. et al.* (19 authors) 2016, MNRAS 460, 3720. (1orx, 5cgi) The reproducible radio outbursts.
- V404 Cyg *Bernardini, F. et al.* (6 authors) 2016, ApJ 826, 149. (1x*, 2x*, 1o*) The optical–X-ray correlation from outburst to quiescence in the LMXB.
Gandhi, P. et al. (28 authors) 2016, MNRAS 459, 554. (1a, 2c, 5gi) Sub-second optical flaring during the 2015 outburst peak.
Heinz, S. et al. (7 authors) 2016, ApJ 825, 15. (1x, 2x) X-ray dust-scattering echo.
Muñoz-Darias, T. et al. (10 authors) 2016, Nature 534, 75. (2dox, 4cr, 5ij) Regulation of BH accretion by a disk wind during a violent outburst.
Rana, V. et al. (20 authors) 2016, ApJ 821, 103. (1r, 2dx) Multiwavelength observations during quiescence.
Tanaka, Y.T. et al. (42 authors) 2016, ApJ 823, 35. (1aio) Modeling and constraints on jet parameters.
- V548 Cyg *Yang, Y.G. et al.* (5 authors) 2016, AJ 152, 49. (1au, 1ao*, 2a*, 5abcde) Algol with possible third body.
Zhu, L.Y. et al. (8 authors) 2016, AJ 151, 107. (1au, 5abc) Semidetached binary with three possible companions detected by light-time effect.
- V1006 Cyg *Kato, T. et al.* (20 authors) 2016, PASJ 68, L4. (1ao, 5bcij) Dwarf nova showing three types of outbursts and simulating WZ Sge-type behavior.
- V1016 Cyg *Arkhipova, V.P. et al.* (6 authors) 2015, AstL 41, 613. (1a, 2ac, 5cgh) Evolution of the symbiotic nova dust envelope and gaseous nebula.
- V1357 Cyg (Cyg X-1) *Duro, R. et al.* (18 authors) 2016, A&A 589, A14. (2dx, 5i) The HMXB broad Fe K α feature.
Miškovičová, I. et al. (17 authors) 2016, A&A 590, A114. (2dx, 5ij) The non-dip spectrum in the low/hard state-orbital phase modulations.
Sugimoto, J. et al. (8 authors) 2016, PASJ 68, S17. (1ax, 5g) MAXI observations of long-term variations of the HMXB in the low/hard and high/soft states.
- V339 Del (Nova Del 2013) *De Gennaro Aquino, I. et al.* (11 authors) 2016, A&A 589, C4. (10b) High spectral resolution monitoring of the CV with TIGRE (Corrigendum).
Shore, S. N. et al. (13 authors) 2016, A&A 590, A123. (2dou) The panchromatic spectroscopic evolution of the classical CO nova until X-ray turnoff.
Tarasova, T.N., Skopal, A. 2016, AstL 42, 10. (2ac, 5h) Structure and chemical composition of the envelope of the nova in nebular phase.
- Z Dra *Khaliullina, A.I.* 2016, ARep 60, 517. (5ab) Period variations.
Yuan, J.-Z., Šenavci, H.V., Qian, S.-B. 2016, RAA 16, 81. (1ao, 5be) EB with two companions in a 2:1 mean-motion resonance.
- AR Dra *Yang, Y.G. et al.* (4 authors) 2016, AJ 151, 124. (1ao, 5abc) Near-contact binary with cyclic pulsation.
- TW Dra *Liao, W.-P. et al.* (5 authors) 2016, RAA 16, 94. (1auo, 5abcj) Lunar Ultraviolet Telescope study of the Algol-type binary.
- EF Eri *Sanad, M.R., Abdel-Sabour, M.A.* 2016, AJ 152, 37. (2cdu*, 5gij) IUE observations of the polar system.
- DQ Her *Dmitrienko, E.S. et al.* (6 authors) 2015, ARep 59, 873. (1ao, 5c) *BVRI* photometry in 2014.
- HZ Her *Staubert, R. et al.* (5 authors) 2016, A&A 590, A91. (2dx) Continued decay in the LMXB cyclotron line energy.

UX Her	<i>Zola, S. et al.</i> (9 authors) 2016, AJ 152, 33. (1ao, 2a, 5abcde, 8cd) Early-type semi-detached system.
V728 Her	<i>Yu, Y.-X., Xiang, F.-Y., Hu, K.</i> 2016, PASP 128, 044202. (5ab) Orbital-period investigation.
V994 Her	<i>Zasche, P., Uhlir, R.</i> 2016, A&A 588, A121. (5abf) Updated study of two EBs in the quintuple system.
EX Hya	<i>Echevarria, J.</i> (4 authors) 2016, MNRAS 461, 1576. (1ao, 2abc, 5abcdeg) RV study.
V396 Hya	<i>Kupfer, T. et al.</i> (6 authors) 2016, MNRAS 457, 1828. (2aco, 5dhjk) Strong double-peaked He emission lines typical for long-period AM CVn systems; evidence for an accreting WD; Doppler tomograms reveal strong bright spot on the AD.
VY Hya	<i>Gunsriwawat, K., Mkrichian, D.E.</i> 2016, IBVS No. 6178. (1a, 5c) Discovery of a new pulsating mass-accreting component.
BL Hyi	<i>Sanad, M.R., Abdel-Sabour, M.A.</i> 2016, AJ 152, 37. (2cdu*, 5gij) IUE observations of the polar system.
V441 Lac	<i>Li, K. et al.</i> (6 authors) 2016, JApA 37, 16. (1ao, 5abcg) EW-type EB.
AM Leo	<i>Gorda, S.Y.</i> 2016, AstBu 71, 64. (1a, 2a, 5cde) Spectrometric and photometric study of the EB.
GW Lib	<i>Chote, P., Sullivan, D.J.</i> 2016, MNRAS 458, 1393. (1ao) Post-outburst time series photometry of accreting, pulsating WD component of the CV. <i>Szkody, P. et al.</i> (10 authors) 2016, AJ 152, 48. (1ao, 2dou, 5gi) Very slow cooling after 2007 outburst.
FL Lyr (KIC 9641031)	<i>Kozyreva, V.S. et al.</i> (5 authors) 2015, ARep 59, 1036. (5abc) An exo-Jupiter candidate in the EB. <i>Kozyreva, V.S. et al.</i> (5 authors) 2016, ARep 60, 534. (10b) Erratum <i>Yoldaş, E., Dal, H.A.</i> 2016, PASA 33, 16. (1ao, 5acg) Detailed chromospheric activity of the EB.
V523 Lyr	<i>Mason, E., Howell, S. B.</i> 2016, A&A 589, A106. (1ao, 2co) <i>Kepler</i> and <i>Hale</i> observations of the CV.
GU Mon	<i>Lorenzo, J. et al.</i> (6 authors) 2016, A&A 590, A45. (1ao, 2ao, 5bcde) A high-mass overcontact EB in the young open cluster Dolidze 25.
IZ Mon	<i>Yang, Y.G. et al.</i> (4 authors) 2016, AJ 151, 124. (1ao, 5abcj) Near-contact binary with mass loss.
PZ Mon	<i>Pakhomov, Y.V.</i> 2015, AstL 41, 633. (2c, 5h) Overabundance of s-process elements in the atmosphere of the active red giant. <i>Pakhomov, Y.V., Gorynya, N.A.</i> 2015, AstL 41, 677. (2a, 5bce) RS CVn binary with synchronous rotation and minimum mass ratio.
V382 Mon	<i>Arulanantham, N.A. et al.</i> (13 authors) 2016, AJ 151, 90. (1ai, 5g) Study of circumbinary ring.
V616 Mon (1A 0620–00)	<i>Malanchev, K.L., Shakura, N.I.</i> 2015, AstL 41, 797. (5i, 8ab) Vertical convection in turbulent ADs and LCs of the LMXB 1975 outburst. <i>Yang, Q.-X.</i> 2016, RAA 16, 62. (2diorux, 5ij) Jet-dominated quiescent state of the BH LMXB.
V696 Mon (HR 2142)	<i>Peters, G. J. et al.</i> (4 authors) 2016, ApJ 828, 47. (2o, 5d) Hot companion and circumbinary disk of the Be star in the Be+sdO system.
η Mus	<i>Blackford, M.G., Butland, R.J., Budding, E.</i> 2016, IBVS No. 6171. (5acd) An AD binary in the multiple system.

GU Mus (Nova Mus 1991) (GRS 1124–68) SY Mus	<i>Chen, Z. et al.</i> (8 authors) 2016, ApJ 825, 45. (1x, 2x) BH spin.
	<i>Shagatova, N., Skopal, A., Cariková, Z.</i> 2016, A&A 588, A83. (2du*, 5j) Wind mass transfer in S-type symbiotic binaries. II. Indication of wind focusing.
QV Nor (4U 1538–522) V381 Nor (XTE J1550–564) RS Oph	<i>Hemphill, P.B. et al.</i> (9 authors) 2016, MNRAS 458, 2745. (1x, 5cg, 8a) Evidence for an evolving cyclotron line energy in the HMXB. <i>Sriram, K., Rao, A.R., Choi, C.S.</i> 2016, ApJ 823, 67. (2dx) A sudden QPO transition event in the LMXB. <i>Booth, R.A., Mohamed, S., Podsiadlowski, P.</i> 2016, MNRAS 457, 822. (8abd) SPH simulations of interaction between spherical recurrent nova outburst and aspherical circumstellar matter, and possible links to Ia SNe.
V1481 Ori	<i>Messina, S. et al.</i> (8 authors) 2016, MNRAS 457, 3372. (1ao, 2ao, 5bcdek) Orbital and absolute parameters of SB2 system (M3 + M4) in Orion nebula cluster determined; photometric time series over 20 years suggest variability due to a hot spot on the accreting secondary.
42 Peg (HD 214923)	<i>Zverko, J. et al.</i> (6 authors) 2016, AstBu 71, 199. (2ac, 5g) Binary system with discrepant $v \sin i$ as derived from the Ca II λ 3933 and Mg II λ 4481 lines.
AG Peg	<i>Zhekov, S.A., Tomov, T.</i> 2016, MNRAS 461, 286. (1x, 5cgi) Analysis of recent X-ray observations.
AT Peg	<i>Zola, S. et al.</i> (9 authors) 2016, AJ 152, 33. (1ao, 2a, 5abcde, 8cd) Early-type semi-detached system.
GK Per	<i>Yuasa, T., Hayashi, T., Ishida, M.</i> 2016, MNRAS 459, 779. (1ax, 2c, 5bcgi) X-ray observation of the outburst in 2015.
NP Per	<i>Lacy, C.H.S. et al.</i> (5 authors) 2016, AJ 152, 2. (1ao, 2ado, 5abcdeg) Pre-main-sequence EB.
PT Per	<i>Watson, M.G. et al.</i> (5 authors) 2016, MNRAS 460, 4282. (1x, 2abc, 5bcegi) On the nature of the CV.
V348 Pup	<i>Saito, R.K., Baptista, R.</i> 2016, MNRAS 457, 198. (2cdou, 5ij) Eclipse mapping of the nova-like variable in the period gap reveals optically thin AD with tidally induced spiral arms.
δ Sco	<i>Pollmann, E.</i> 2016, IBVS No. 6179. (2ad) He I 6678 Å emission variability.
AR Sco	<i>Marsh, T. R. et al.</i> (26 authors) 2016, Nature 537, 374. (2doiux, 4cr) A radio-pulsing WD binary.
V745 Sco (Nova Sco 1937)	<i>Drake, J.J. et al.</i> (10 authors) 2016, ApJ 825, 95. (1x, 2x) Collimation and asymmetry of the hot blast wave.
V818 Sco (Sco X-1)	<i>Hynes, R.I. et al.</i> (6 authors) 2016, MNRAS 459, 3596. (1aox, 5cgi) Multi-wavelength study, orbital modulations and correlations.
V884 Sco (4U 1700–37)	<i>Islam, N., Paul, B.</i> 2016, MNRAS 461, 816. (1x, 5abcegf) HMXB orbital evolution and search for eccentricity and apsidal motion. <i>Seifina, E., Titarchuk, L., Shaposhnikov, N.</i> 2016, ApJ 821, 23. (2dx) Modeling of spectra; concludes system has a NS.
V918 Sco	<i>Raucq, F. et al.</i> (7 authors) 2016, A&A 588, A10. (2bdou*, 5h) Observational signatures of past mass-exchange episodes in the massive SB.

V1033 Sco (GRO J1655–40)	<i>Shidatsu, M., Done, C., Ueda, Y.</i> 2016, ApJ 823, 159. (1aio, 2dx) Suggests an optically thick wind in the LMXB.
V1309 Sco (Nova Sco 2008)	<i>Stuchlik, Z., Kološ, M.</i> 2016, ApJ 825, 13. (8) BH mass and spin.
AO Ser	<i>Zhu, L.-Y., Zhao, E.-G., Zhou, X.</i> 2016, RAA 16, 68. (2ao, 5cg) A low-mass ratio, deep-contact binary as the progenitor of the system.
MM Ser (X Ser X-1)	<i>Khaliullina, A.I.</i> 2016, ARep 60, 807. (5ab) Orbital-period variations of the Algol-type EB.
V4634 Sgr (MAXI J1828–249) (GS 1826–238)	<i>Chiang, C.-Y. et al.</i> (15 authors) 2016, ApJ 821, 105. (2cx) Fe K emission line may be from relativistic reflection.
V4743 Sgr	<i>Grebenev, S.A. et al.</i> (5 authors) 2016, AstL 42, 69. (1x, 5c) Evolution of the broadband spectrum during the LMXB 2013-2014 outburst.
V5589 Sgr	<i>Ono, K. et al.</i> (5 authors) 2016, PASJ 68, S14. (2dx, 5i) Suzaku observations of the LMXB in the hard state.
V5668 Sgr (Nova Sgr 2015b)	<i>Zemko, P. et al.</i> (6 authors) 2016, MNRAS 460, 2744. (1x, 2c, 5cgi, 8a) Is this system a magnetic nova?
V5852 Sgr	<i>Weston, J.H. et al.</i> (10 authors) 2016, MNRAS 460, 2687. (1rx, 5cgi, 8a) Shock-powered radio emission.
ζ Tau	<i>Cheung, C.C. et al.</i> (12 authors) 2016, ApJ 826, 142. (1o*, 2g) FERMI-LAT γ -ray detections.
103 Tau (HD 32990)	<i>Aydi, E. et al.</i> (19 authors) 2016, MNRAS 461, 1529. (1ao, 2bc, 5cdegh) An unusual nova possibly associated with the Sagittarius stream.
GQ TrA	<i>Pollmann, E.</i> 2016, IBVS No. 6172. (2ad) Long-term He I 6678 Å RV monitoring.
KZ TrA (4U 1626–67)	<i>Tarasov, A.E.</i> 2016, AstL 42, 598. (2a, 5d) Orbital parameters and variability of the massive SB emission spectrum.
BS Tri	<i>Mkrtichian, D.E., Gunsriwivat, K., Komonjinda, S.</i> 2016, IBVS No. 6182. (1a, 5c) Detection of multiperiodic oscillations in the mass-accreting component.
μ UMa	<i>Raman, G. et al.</i> (4 authors) 2016, MNRAS 458, 1302. (1ax) Timing analysis of the LMXB optically reprocessed X-rays.
AR UMa	<i>Takagi, T. et al.</i> (5 authors) 2016, PASJ 68, S13. (1x, 5be) Application of the Ghosh & Lamb relation to the spin-up/down behavior of the pulsar.
AW UMa	<i>Borisov, N.V. et al.</i> (5 authors) 2015, AstL 41, 646. (2ac, 5ch) Spectroscopic study of the IP.
KV UMa (XTE J1118+480)	<i>Lee, B.C. et al.</i> (7 authors) 2016, AJ 151, 106. (2a, 5g) Secondary RV variations in SB due to complex pulsations and chromospheric activity.
TU Uma	<i>Bai, Y., et al.</i> (6 authors) 2016, ApJ 828, 39. (2uio) Time-variable Al absorption in the IP.
UX UMa	<i>Eaton, J.A.</i> 2016, MNRAS 457, 836. (1ao*, 2ao*, 5cgk) Reinterpretation of LC and line profiles of the A-type W UMa system by overcontact configuration and differential rotation of both stars.
	<i>Yang, Q.-X.</i> 2016, RAA 16, 62. (2diorux, 5ij) Jet-dominated quiescent state of the BH LMXB.
	<i>Liška, J. et al.</i> (5 authors) 2016, A&A 589, A94. (1aco, 2ao*, 5abe) New analysis of the light time effect in the CB with a RR Lyr component.
	<i>de Miguel, E. et al.</i> (28 authors) 2016, MNRAS 457, 1447. (1ao, 5abci) Extended multi-site time series photometry of eclipsing nova-like star confirms periodic retrograde precession of the AD.

XY UMa	<i>Gong, H. et al.</i> (6 authors) 2016, RAA 16, 131. (2dx, 5g) Three X-ray flares near primary eclipse of the RS CVn binary.
GP Vel (Vel X-1)	<i>Malacaria, C. et al.</i> (7 authors) 2016, A&A 588, A100. (1ax, 5ij) Stellar wind probed with MAXI.
α Vir (Spica)	<i>Harrington, D. et al.</i> (7 authors) 2016, A&A 590, A54. (2ado, 5df) Line-profile variations and orbital elements. <i>Tkachenko, A. et al.</i> (19 authors) 2016, MNRAS 458, 1964. (1ao*, 2aco, 5bcdegh) Photometric and spectroscopic analysis of early-type eclipsing SB2 system with β Cep-type pulsating primary.
QS Vir	<i>Parsons, S.G. et al.</i> (11 authors) 2016, MNRAS 458, 2793. (1a, 2abc, 5bcdeg) High-speed photometry and high-resolution spectroscopy.
UY Vol (EXO 0748–676)	<i>Zhang, Z. et al.</i> (7 authors) 2016, ApJ 823, 131. (2dx) Observations during the LMXB hard state.
V377 Vul (HD 182255)	<i>Zverko, J. et al.</i> (6 authors) 2016, AstBu 71, 199. (2ac, 5g) Binary system with discrepant $v \sin i$ as derived from the Ca II λ 3933 and Mg II λ 4481 lines.
V458 Vul	<i>Tarasova, T.N.</i> 2015, ARep 59, 920. (1a, 2bc, 5gh) The envelope of the hybrid nova and the surrounding planetary nebula.

HR, HD, HDE, BD, CoD, CPD, SAO Objects

HR 2142	(see V696 Mon)
HD 5550	<i>Alecian, E. et al.</i> (5 authors) 2016, A&A 589, A47. (3b, 5dk) The magnetic field of the double-lined SB.
HD 32990	(see 103 Tau)
HD 149404	(see V918 Sco)
HD 170582	<i>Mennickent, R.E. et al.</i> (4 authors) 2016, MNRAS 461, 1674. (2bc, 5degj) Doppler tomography at low and high stages.
HD 182255	(see V377 Vul)
HD 214923	(see 42 Peg)

Objects with names including RA and DEC

V 0332+53	(see BQ Cam)
PM J03338+3320	<i>Kato, T. et al.</i> (15 authors) 2016, PASJ 68, 49. (1ao, 5bcij) Long-period CV superhumps in growing phase following a separate precursor outburst.
PSR J0337+1715	<i>Spiewak, R. et al.</i> (11 authors) 2016, ApJ 822, 37. (2dx) X-rays detected from the millisecond pulsar in a hierarchical triple system with two WD companions.
RX J0440.9+4431	<i>Yan, J. et al.</i> (4 authors) 2016, AJ 151, 104. (1ao, 2ado, 5i) Long-term study of Be/x-ray binary with variable circumstellar disc.
2MASS J04531000+3353527 (TYC 2505-672-1)	<i>Rodriguez, J.F. et al.</i> (13 authors) 2016, AJ 151, 123. (1auoi*, 6b) EB similar to ϵ Aur with period 69.1 years.
IGR J05007–7047 (LXP 38.55)	<i>Vasilopoulos, G. et al.</i> (5 authors) 2016, MNRAS 461, 1875. (1aox, 5bceg) Identified as a LMC Be/XB pulsar.

IPHAS J052832.69+283837.6	<i>Gabdeev, M.M.</i> 2015, <i>AstBu</i> 70, 460. (1a, 5c, 6d) Photometric monitoring of the IP.
2MASS J06015877–6830551 (OGLE LMC-ECL-25658)	<i>Elgueta, S.S. et al.</i> (14 authors) 2016, <i>AJ</i> 152, 29. (1ao, 2a, 5cde) Solar-type EB in LMC gives independent distance estimate.
1A 0620–00	(see V616 Mon)
PSR J0636+5129	<i>Spiewak, R. et al.</i> (11 authors) 2016, <i>ApJ</i> 822, 37. (2dx) X-rays detected from the millisecond pulsar in a tight 96-minute orbit with a low-mass companion.
CRTS CSS081231 J071126+440405	(see V808 Aur)
1RXS J073346.0+261933	<i>Gabdeev, M.M.</i> 2015, <i>AstBu</i> 70, 460. (1a, 5c, 6d) Photometric monitoring of the IP candidate.
PSR J0737–3039	<i>Iacolina, M.N. et al.</i> (11 authors) 2016, <i>ApJ</i> 824, 87. (1x) Orbital phase-dependent wind-companion interaction.
EXO 0748–676	(see UY Vol)
2MASS J07580587–0753554 (StH α 63)	<i>Baella, N.O. et al.</i> (4 authors) 2016, <i>AJ</i> 151, 100. (2d, 6b) New yellow symbiotic star.
2MASS J08570970+1856441 (KP 101231)	<i>Devarapalli, S.P., Jagirdar, R.</i> 2016, <i>JApA</i> 37, 18. (1ao, 2bco, 5cg) First H α and revised photometric study of the contact binary.
J095551+6940.8	<i>Pan, Y.Y. et al.</i> (4 authors) 2016, <i>MNRAS</i> 461, 2. (5gi, 8ad) May be an evolved magnetar.
RX J0957.9+6903 (Holmberg IX X-1)	<i>Luangtip, W., Roberts, T.P., Done, C.</i> 2016, <i>MNRAS</i> 460, 4417. (1x, 5cgi, 8a) The X-ray spectral evolution.
PSR J1022+1001	<i>Deller, A.T. et al.</i> (12 authors) 2016, <i>ApJ</i> 828, 8. (1o*, 4c) Microarcsecond VLBI binary millisecond pulsar astrometry.
PSR J1048+2339	<i>Deneva, J.S. et al.</i> (12 authors) 2016, <i>ApJ</i> 823, 105. (1aoxrg, 4a, 5b, 6c) Multiwavelength observations of the Redback millisecond pulsar.
XTE J1118+480	<i>Zurita, C. et al.</i> (4 authors) 2016, <i>MNRAS</i> 460, 4289. (2abc, 5degi) Chromospheric emission from the secondary star.
XTE J1118+480	(see KV UMa)
2MASS J11201034–2201340	<i>Hu, C.P. et al.</i> (13 authors) 2016, <i>AJ</i> 151, 170. (1aox, 2d, 5abc, 6b) New x-ray-emitting contact binary.
GRS 1124–68	(see GU Mus)
SDSS J1152+0248	<i>Hallakoun, N. et al.</i> (16 authors) 2016, <i>MNRAS</i> 458, 845. (1ao*, 2ad, 5bcde, 6b) Orbital and physical parameters of a new DA WD EB system.
4U 1323–619	<i>Gambino, A. F. et al.</i> (9 authors) 2016, <i>A&A</i> 589, A34. (2dx*, 5ab) New orbital ephemerides for the dipping source, constraining the distance to the LMXB.
GS 1354–64	(see BW Cir)
PSN J14021678+5426205	<i>Goranskij, V.P. et al.</i> (11 authors) 2016, <i>AstBu</i> 71, 82. (1a, 2c) Photometry and spectroscopy of the luminous red nova in the galaxy M101.
IGR J14091–6108	<i>Tomsick, J.A. et al.</i> (16 authors) 2016, <i>MNRAS</i> 460, 513. (1x, 2abc, 5bcg, 8a) Identifying the system as a magnetic CV with a massive WD.
SDSS J143317.78+101123.3	<i>Hernández Santisteban, J. V. et al.</i> (10 authors) 2016, <i>Nature</i> 533, 366. (2aduoi, 5de) An irradiated brown-dwarf companion of an accreting WD.
4U 1538–522	(see QV Nor)

1E 1547.0–5408	<i>Makishima, K. et al.</i> (7 authors) 2016, PASJ 68, S12. (2dx, 5bi) Evidence for a 36 ks phase modulation in the hard X-ray pulses from the magnetar.
XTE J1550–564	(see V381 Nor)
2S 1553–542	<i>Tsygankov, S.S. et al.</i> (7 authors) 2016, MNRAS 457, 258. (1x, 2cdx, 5be) Spectral and timing analysis of transient X-ray pulsar; improved position, orbital parameters and spin period change.
4U 1626–67	(see KZ TrA)
4U 1630–47	(see 1RXS J163403.0–472344)
1RXS J163403.0–472344 (4U 1630–47)	<i>Hori, T. et al.</i> (7 authors) 2016, AN 337, 467. (1x, 2dx, 5ij) Galactic BH binary observed in a very high state during the 2012 outburst.
4U 1636–536	(see V801 Ara)
IGR J16393–4643	<i>Bodaghee, A. et al.</i> (13 authors) 2016, ApJ 823, 146. (2dx) Measurement of the HMXB magnetic field.
IRAS 16410–5106 (PN HA Tr 4)	<i>Hillwig, T.C. et al.</i> (5 authors) 2016, AJ 152, 34. (1ao*, 1ao, 5c) Central star of PN is detached EB.
ROTSE1 J16431.65+251748.1	<i>Michel, R. et al.</i> (5 authors) 2016, RMxAA 52, 339. (1ao, 5c) Spotted W UMa system.
GRO J1655–40	(see V1033 Sco)
4U 1700–37	(see V884 Sco)
AX J1700.7–4139	<i>Jaisawal, G.K., Naik, S.</i> 2016, BASI 42, 147. (2dx, 5ci) Investigation of Fe emission lines in the eclipsing HMXB pulsar.
4U 1728–34	<i>Sleator, C.C. et al.</i> (16 authors) 2016, ApJ 827, 87. (1x, 2x) Reflection spectrum of the LMXB.
1E 1743.1–2843	<i>Lotti, S. et al.</i> (16 authors) 2016, ApJ 822, 57. (2dx) Concludes that this source is a NS in a LMXB.
H 1743–322	<i>Stiele, H, Yu, W.</i> 2016, MNRAS 460, 1946. (1x, 5bcgi) Energy-dependent variability of the LMXB during the 2014 outburst.
H 1743–322	<i>De Marco, B., Ponti, G.</i> 2016, ApJ 826, 70. (1x, 2x) Reverberation lag in the LMXB.
EXO 1745–248	<i>Tetarenko, A.J. et al.</i> (16 authors) 2016, MNRAS 460, 345. (1rx, 5cegi) Disc-jet coupling in the LMXB.
IGR J17451–3022	<i>Bozzo, E. et al.</i> (13 authors) 2016, A&A 589, A42. (2dx*, 5ab) A dipping and eclipsing LMXB.
SWIFT J174510.8-262411	<i>Prosvetov, A.V., Grebenev, S.A.</i> 2015, AstL 41, 549. (1x, 5c, 7d) QPO and low-frequency noise in the LMXB rapid variability power spectrum.
GRS 1747–312	<i>Saji, S. et al.</i> (9 authors) 2016, PASJ 68, S15. (2dx, 5g) Peculiar lapse of periodic eclipsing event in the LMXB 2009 Suzaku observations.
SAX J1748.9–2021	<i>Sanna, A. et al.</i> (9 authors) 2016, MNRAS 459, 1340. (1x, 5bcegi) Timing analysis of the LMXB 2015 outburst.
SAX J1748.9–2021	<i>Pintore, F. et al.</i> (9 authors) 2016, MNRAS 457, 2988. (1x, 2dx, 5i) X-ray spectral analysis of the accreting millisecond X-ray pulsar.
Swift J1753.5–0127	<i>Kolehmainen, M. et al.</i> (12 authors) 2016, AN 337, 485. (1r*x, 5i) Radio/X-ray correlation for the BH binary in low/hard states.
Swift J1753.5–0127	<i>Shaw, A.W. et al.</i> (9 authors) 2016, MNRAS 458, 1636. (1x, 2dx, 5i) Transition to a previously unseen soft state derived from X-ray spectral analysis of the BH LMXB with an AD.

1RXS J180408.9–34205	<i>Ludlam, R.M. et al.</i> (11 authors) 2016, ApJ 824, 37. (2cdx, 5i) Constraints on the AD in the NS LMXB.
4U 1820–30 (X Sgr X-4)	<i>Mondal, A.S. et al.</i> (6 authors) 2016, MNRAS 461, 1917. (1x, 5cegi, 8a) Broad-band X-ray emission in the LMXB.
4U 1822–371	(see V691 CrA)
GS 1826–238	(see V4634 Sgr)
IGR J18293–1213	<i>Clavel, M. et al.</i> (10 authors) 2016, MNRAS 461, 304. (1x, 5abceg) An eclipsing CV.
IRAS 18293–2845 (PN Hf 2-2)	<i>Hillwig, T.C. et al.</i> (5 authors) 2016, AJ 152, 34. (1ao*, 1ao, 5c) Central star of PN is detached EB.
HESS J1832–093	<i>Eger, P. et al.</i> (6 authors) 2016, MNRAS 457, 1753. (1x, 2dx, 6b) X-ray flux variability and SED suggest binary nature of the γ -ray point source.
ASAS J184949–1518.7	<i>Ratajczak, M. et al.</i> (11 authors) 2016, MNRAS 461, 2234. (1ao, 2a, 5cdeg) Orbital and physical parameters of the ASAS catalogue EB.
MASTER OT J190519.41+301524.4	<i>Martinelli, F., Denisenko, D.V.</i> 2016, PZ 36, No. 1. (5b, 6d) A new eclipsing CV of VY Scl type.
IGR J19140+0951	<i>Sidoli, L. et al.</i> (5 authors) 2016, MNRAS 460, 3637. (1x, 5bcegi) Discovery of mHz QPOs.
GRS 1915+105	<i>Punsly, B., Rodriguez, J., Trushkin, S.A.</i> 2016, ApJ 826, 5. (1r, 2x) Accretion flow–discrete ejection connection.
GRS 1915+105	(see V1487 Aql)
GRS 1915+105	(see V1487 Aql)
MASTER OT J192328.22+612413.5	<i>Kennedy, M.R. et al.</i> (10 authors) 2016, AJ 152, 27. (1ao, 2d, 5cgi) Dwarf nova, SW Sex star or cross between them?
KS 1947+300	<i>Epili, P., Naik, S., Jaisawal, G.K.</i> 2016, RAA 16, 77. (2dx, 5bi) Broad-band spectroscopy of the transient XB pulsar during the 2013 giant outburst: detection of a pulsating soft X-ray excess component.
2MASS J19585275+4054142 (KIC 5738698)	<i>Matson, R.A. et al.</i> (4 authors) 2016, AJ 151, 139. (1ao*, 2ad, 5abcdeg) Kepler LC and ground-based spectroscopy yield masses, radii and atmospheric parameters.
VLA J213002.08+120904	<i>Tetarenko, B.E. et al.</i> (10 authors) 2016, ApJ 825, 10. (1or, 2x) BH LMXB outside of globular cluster M15.
PSR J2145–0750	<i>Deller, A.T. et al.</i> (12 authors) 2016, ApJ 828, 8. (1o*, 4c) Microarcsecond VLBI binary millisecond pulsar astrometry.
PSR J2215+5135	<i>Broderick, J.W. et al.</i> (33 authors) 2016, MNRAS 459, 2681. (1r, 4c, 5ceg, 6b) Low-radio-frequency eclipses observed in the image plane with LOFAR.
PSR J2215+5135	<i>Romani, R.W., Sanchez, N.</i> 2016, ApJ 828, 7. (1o, 1x, 8abc) Intra-binary shock heating of Black Widow companions.
HS 2220+2146	<i>Andrews, J.J. et al.</i> (7 authors) 2016, ApJ 828, 38. (8c) Wide, double WD system may be the remnant of a merged inner binary in a hierarchical triple.
HS 2331+3905	(see V455 And)

X-ray sources with constellation or galaxy names

Aql X-1 (see V1333 Aql)

Cen X-4	(see V822 Cen)
Cyg X-1	(see V1357 Cyg)
Cyg X-2	<i>Premachandra, S.S. et al.</i> (5 authors) 2016, ApJ 823, 106. (2ao, 5bd) Improved ephemerides for use in gravitational wave research.
Her X-1	(see HZ Her)
Holmberg IX X-1	(see RX J0957.9+6903)
IC 10 X-1	<i>Tutukov, A.V., Fedorova, A.V.</i> 2016, ARep 60, 106. (5i, 8c) Accretion of matter from an intense WR stellar wind onto a BH.
M82 X-2	<i>Tsygankov, S.S. et al.</i> (4 authors) 2016, MNRAS 457, 1101. (2dx, 5i) Accreting magnetar in ULXB.
NGC 300 X-1	<i>Tutukov, A.V., Fedorova, A.V.</i> 2016, ARep 60, 106. (5i, 8c) Accretion of matter from an intense WR stellar wind onto a BH.
NGC 1313 X-1	<i>Pinto, C., Middleton, M. J., Fabian, A. C.</i> 2016, Nature 533, 64. (2dx, 5i) Resolved atomic lines reveal outflows in ULX source.
NGC 5408 X-1	<i>Pinto, C., Middleton, M. J., Fabian, A. C.</i> 2016, Nature 533, 64. (2dx, 5i) Resolved atomic lines reveal outflows in ULX source.
NGC 6946 X-1	<i>Pinto, C., Middleton, M. J., Fabian, A. C.</i> 2016, Nature 533, 64. (2dx, 5i) Resolved atomic lines reveal outflows in ULX source.
Sco X-1	(see V818 Sco)
Vel X-1	(see GP Vel)
X Ser X-1	(see MM Ser)
X Sgr X-4	(see 4U 1820–30)

Objects with other designations

ASASSN -15jd	<i>Kimura, M. et al.</i> (24 authors) 2016, PASJ 68, 55. (1ao, 5bcij) WZ Sge-type dwarf nova with intermediate superoutburst between single and double ones.
ELHC 10	<i>Garrido, H.E. et al.</i> (7 authors) 2016, MNRAS 457, 1675. (1ao*, 2ao, 5bcdghj) Long-period SB1 EB in the LMC embedded in young nebular complex; primary eclipse by an opaque disc hiding the secondary.
GSC 2197-0886	(see VSX J213806.5+261957)
GW 150914	<i>Belczynski, K. et al.</i> (4 authors) 2016, Nature 534, 512. (8c) The first gravitational-wave source from the isolated evolution of two stars in the 40-100 solar mass range. <i>Rodriguez, C.L. et al.</i> (5 authors) 2016, ApJL 824, L8. (8c) Binary BH merger occurred in the core of a globular cluster. <i>Woosley, S.E.</i> 2016, ApJL 824, L10. (8c) Suggests 70 and 90 solar mass binary BH progenitor stars.
GX 304-1	(see V850 Cen)
GX 339-4	(see V821 Ara)
GX 340+0	<i>Miller, J.M. et al.</i> (5 authors) 2016, ApJL 822, L18. (2cdx, 5i) Estimate of the LMXB disk wind.
Gliese 762.1	<i>Masda, S.G. et al.</i> (4 authors) 2016, RAA 16, 112. (1ao, 2abco, 5bcde) Physical and geometrical parameters of the close double-lined SB.

ID487 in NGC 6866	<i>Joshi, Y.C., Jagirdar, R., Joshi, S.</i> 2016, RAA 16, 63. (1aio, 5bce) Photometric study of the W UMa variable in the open cluster NGC 6866.
ID494 in NGC 6866	<i>Joshi, Y.C., Jagirdar, R., Joshi, S.</i> 2016, RAA 16, 63. (1aio, 5bce) Photometric study of the W UMa variable in the open cluster NGC 6866.
KIC 5738698	(see 2MASS J19585275+4054142)
KIC 6220497	<i>Lee, J.W. et al.</i> (4 authors) 2016, MNRAS 460, 4220. (1ao, 5bceg) A new Algol-type EB with multiperiodic pulsations.
KIC 9532219	<i>Lee, J.W. et al.</i> (4 authors) 2016, ApJ 820, 1. (1a, 5abc) Short period WUMa system.
KIC 9641031	(see FL Lyr)
KIC 9851944	<i>Guo, Z. et al.</i> (4 authors) 2016, ApJ 826, 69. (1o, 2oi, 5bcd) EB with δ Scuti/ γ Doradus pulsator components.
KP 101231	(see 2MASS J08570970+1856441)
Kepler-16	<i>Lines, S. et al.</i> (5 authors) 2016, A&A 590, A62. Modelling circumbinary protoplanetary disks. II. Gas-disk feedback on planetesimal dynamical and collisional evolution in the circumbinary system.
Kepler-34	<i>Lines, S. et al.</i> (5 authors) 2016, A&A 590, A62. Modelling circumbinary protoplanetary disks. II. Gas disk-feedback on planetesimal dynamical and collisional evolution in the circumbinary system.
L1551 IRS 5	<i>Lim, J. et al.</i> (6 authors) 2016, ApJ 826, 153. (1r) Rotationally driven fragmentation formation of binary stars.
LS I +61°303	(see V615 Cas)
NSVS 1908107	<i>Pan, Y. et al.</i> 2016, RAA 16, 109. (1ao, 5ce) An EB-type EB in the open cluster NGC 869.
Nova Cen 2013	(see V1369 Cen)
Nova Del 2013	(see V339 Del)
Nova Sco 1937	(see V745 Sco)
Nova Sco 2008	(see V1309 Sco)
Nova Sgr 2015b	(see V5668 Sgr)
OGLE LMC-ECL-25658	(see 2MASS J06015877–6830551)
OT2011	<i>Smith, N. et al.</i> (14 authors) 2016, MNRAS 458, 950. (1aioo*, 2aiod) IR and optical transient in galaxy NGC 4490 interpreted as massive star merger; comparison with V838 Mon and V1309 Sco.
PN G068.1+11.0	<i>Mitrofanova, A.A. et al.</i> (5 authors) 2016, ARep 60, 252. (1a, 2ac, 5bcde) A young pre-CV with an extremely hot primary.
PN HA Tr 4	(see IRAS 16410–5106)
PN Hf 2-2	(see IRAS 18293–2845)
RCW 103	<i>Rea, N.</i> (7 authors) 2016, ApJ 828, L13. (1x,2dx) Magnetar-like activity from the SN remnant central compact object.
SS 433	(see V1343 Aql)
StH α 63	(see 2MASS J07580587–0753554)
SXP 214	<i>Hong, J. et al.</i> (15 authors) 2016, ApJ 826, 4. (1x, 2dx) Crossing the circumstellar disk of the companion in the SMC HMXB.
Spica	(see α Vir)
TYC 01664-0110-1	<i>Alton, K.B., Stępień, K.</i> 2016, AcA 66, 357. (1a, 5abce) Roche modelling and evolutionary history of the EB.
TYC 2505-672-1	(see 2MASS J04531000+3353527)

TYC 4034-1216-1	(see 2MASS J01244042+6308297)
USNO-B1.0 0295-0396025	<i>Quiñones, C., Mina, F. D., Suárez, N.</i> 2016, PZP 16, No. 2. (6b) New EB in the field of AW Cru.
USNO-B1.0 0295-0396078	<i>Quiñones, C., Mina, F. D., Suárez, N.</i> 2016, PZP 16, No. 2. (6b) New EB in the field of AW Cru.
USNO-B1.0 0295-0396145	<i>Quiñones, C., Mina, F. D., Suárez, N.</i> 2016, PZP 16, No. 2. (6b) New EB in the field of AW Cru.
WR 21a	<i>Gosset, E., Nazé, Y.</i> 2016, A&A 590, A113. (2dx) A massive colliding wind WR+O binary.

General

Abdul-Masih, M. et al. (12 authors) 2016, AJ 151, 101. Identification of false positives among Kepler EBs and re-extraction of LCs.

Ablimit, I., Maeda, K. and Li, X-D. 2016, ApJ 826, 53. (8ac) Post-Common-Envelope WD binaries and type Ia SNe rate.

Abubekerov, M.K., Gostev, N.Yu. 2016, MNRAS 459, 2078. Second derivative in the model of classical binary systems.

Asai, K. et al. (4 authors) 2016, PASJ 68, 50. Hard-tail emission in the soft state of LMXBs and their relation to the NS magnetic field.

Bachetti, M. 2016, AN 337, 349. Ultraluminous X-ray sources: three exciting years.

Beheshtipour, B., Hoormann, J.K., Krawczynski, H. 2016, ApJ 826, 203. (8ab) Origin of high-frequency QPOs of the mass-accreting BH in XBs.

Bosch-Ramon, V., Barkov, M. V. 2016, A&A 590, A119. (8d) The effects of the stellar wind and orbital motion on the jets of high-mass microquasars.

Bozzo, E. et al. (4 authors) 2016, A&A 589, A102. (8abd) Clumpy wind accretion in NS HMXBs.

Brogaard, K. et al. (13 authors) 2016, AN 337, 793. Testing asteroseismic scaling relations using EBs in star clusters and the field.

Brown, W.R. et al. (4 authors) 2016, ApJ 824, 46. (8c) Estimation of the rate of merger of extremely low mass WD binaries.

Chakravorty, S. et al. (11 authors) 2016, A&A 589, A119. (8abd) Absorption lines from magnetically driven winds in XBs.

Chakravorty, S. et al. (11 authors) 2016, AN 337, 429. Magneto centrifugal winds from ADs around BH binaries.

Cook, N.J. et al. (18 authors) 2016, MNRAS 457, 2192. A method for selecting M dwarfs with an increased likelihood of unresolved ultracool companionship.

Díaz Trigo, M., Boirin, L. 2016, AN 337, 368. AD atmospheres and winds in LMXBs.

- Dai, H.-L., Liu, X.-W., Li, X.-D.* 2016, MNRAS 457, 3889. Exploration of spin-down rates of NSs in HMXBs.
- Damiani, C., Díaz, R. F.* 2016, A&A 589, A55. (8ac) Can brown dwarfs survive on close orbits around convective stars?
- Dhawan, S. et al.* (4 authors) 2016, A&A 588, A84. A reddening-free method to estimate the ^{56}Ni mass of Type Ia SNe.
- Dosopoulou F., Kalogera V.* 2016, ApJ 825, 70. (8ac) Orbital evolution of mass-transferring eccentric binary systems. I. Phase-dependent evolution.
- Dosopoulou F., Kalogera V.* 2016, ApJ 825, 71. (8ac) Orbital evolution of mass-transferring eccentric binary systems. II. Secular evolution.
- Dremova, G.N., Dremov, V. V., Tutukov, A.V.* 2016, ARep 60, 695. (8) An estimate of the probability of capture of a binary star by a supermassive BH.
- Fender, R.* 2016, AN 337, 381. Disc-jet-wind coupling in BH binaries, and other stories.
- Gao, Q. et al.* (5 authors) 2016, ApJS 224, 37. (1o) White-light flares on CBs observed with *KEPLER*. Detached and semi-detached systems are more likely to have flares than contact or ellipsoidal binaries.
- Garcia, L., Gómez, H.* 2016, RMxAA 52, 357. Modelling debris discs in single and binary stars.
- Gullikson, K., Kraus, A., Dodson-Robinson, S.* 2016, AJ 152, 40. Distribution of mass ratios among intermediate-mass stars with close companions.
- Hachisu, I., Saio, H., Kato, M.* 2016, ApJ 824, 22. (8c) Estimate of recurrence periods of forced novae.
- Hayasaki, K. et al.* (4 authors) 2016, PASJ 68, 66. Rapid merger of binary primordial BHs: an implication for the gravitational wave source GW150914.
- Hofmann, F., Barausse, E., Rezzolla, L.* 2016, ApJ 825, L19. (8c) The final spin from binary BHs in quasi-circular orbits.
- Hong, J. et al.* (6 authors) 2016, MNRAS 457, 4507. Evolution of binary stars in multiple-population globular clusters – II. Compact binaries.
- Ingram, A.R.* 2016, AN 337, 385. Modelling aperiodic X-ray variability in BH binaries as propagating mass accretion rate fluctuations: a short review.
- Isakova, P.B., Zhilkin, A.G., Bisikalo, D.V.* 2015, ARep 59, 843. (8a) A numerical model for accretion in IPs with dipolar magnetic fields.
- Kashi, A., Sokar, N.* 2016, RAA 16, 99. Operation of the jet feedback mechanism (JFM) in intermediate luminosity optical transients (ILOTs).
- Kawaguchi, K. et al.* (4 authors) 2016, ApJ 825, 52. (8ac) Models of kilonova/macronova emission from BH-NS mergers.

- Keek, L., Wolf, Z., Ballantyne, D.R.* 2016, ApJ 826, 79. (8ab) AD signatures in Type I X-ray bursts.
- Kobayashi, S., Nakazawa, K., Makishima, K.* 2016, AN 337, 479. A new characterization of the Compton process in ULX spectra.
- Kotera, K., Silk, J.* 2016, ApJL 823, L29. (8c) BH mergers as the source of ultrahigh energy cosmic rays.
- Kraus, A.L. et al.* (5 authors) 2016, AJ 152, 8. Paucity of binaries among systems with planets.
- Kubsch, M., Illenseer, T. F., Duschl, W. J.* 2016, A&A 588, A22. AD dynamics: α -viscosity in self-similar self-gravitating models.
- Kuruwita, R.L., Staff, J., De Marco, O.* 2016, MNRAS 461, 486. Considerations on the role of fallback discs in the final stages of the common envelope binary interaction.
- Li, F. et al.* (4 authors) 2016, PASJ 68, 39. The contribution of chemical abundances in nova ejecta to the interstellar medium.
- Li, T., Shao, Y., Li, X.-D.* 2016, ApJ 824, 143. (8b, 9) Can the subsonic accretion model explain the spin period distribution of wind-fed X-ray pulsars?
- Mainetti, D. et al.* (4 authors) 2016, MNRAS 457, 2516. Hydrodynamical simulations of the tidal stripping of binary stars by massive BHs.
- Malzac, J.* 2016, AN 337, 391. Spectral components in BH XBs.
- Marchant, P. et al.* (5 authors) 2016, A&A 588, A50. (8c) A new route towards merging massive BHs.
- Meng, X., Han, Z.* 2016, A&A 588, A88. (8c) The X-ray/radio and UV luminosity expected from symbiotic systems as the progenitor of type Ia SNe.
- Mennekens, N., Vanseveren, D.* 2016, A&A 589, A64. (8c) The delay time distribution of massive double-compact star mergers.
- Metzger, B.D. et al.* (6 authors) 2016, MNRAS 457, 1786. Novae as Tevatrons: prospects for CTA and IceCube.
- Michaeli, E., Peters, H.B.* 2016, MNRAS 458, 4188. Tidal capture formation of LMXBs from wide binaries in the field.
- Morgan, D.P., West, A.A., Becker, A.C.* 2016, AJ 151, 114. Flare rates among stars with close WD companions.
- Moss, D., Sokoloff, D., Suleimanov, V.* 2016, A&A 588, A18. Dynamo generated magnetic configurations in ADs and the nature of QPOs in accreting binary systems.
- Motta, S.E.* 2016, AN 337, 398. QPOs in BH binaries.
- Muñoz, D.J., Lai, D.* 2016, ApJ 827, 43. (8abd) Pulsed accretion onto binaries.

- Naoz, S. et al.* (5 authors) 2016, ApJL 822, L24. (8c) Proposed formation mechanism for BH LMXBs in hierarchical triple systems.
- Neunteufel, P., Yoon, S. C., Langer, N.* 2016, A&A 589, A43. (8ad) Models for the evolution of CBs with He-star and WD components towards Type Ia SNe explosions.
- Oelkers, R.J. et al.* (7 authors) 2016, AJ 152, 75. Wide-field survey for transiting hot Jupiters and pre-MS EBs in young stellar associations finds 346 pre-MS binary candidates.
- O’Leary, R.M., Meiron, Y., Kocsis, B.* 2016, ApJL 824, L12. (8c) Dynamic formation signatures of BH mergers.
- Ottakowska-Hypka, M., Olech, A., Patterson, J.* 2016, MNRAS 460, 2526. Statistical analysis of properties of dwarf novae outbursts.
- Pawlak, M.* 2016, MNRAS 457, 4323. Period-luminosity-colour relation for early-type contact binaries.
- Perna, R., Lazzati, D., Giacomazzo, B.* 2016, ApJL 821, L18. (8c) Merger of 2 BHs as source of short γ -ray bursts.
- Ponti, G. et al.* (6 authors) 2016, AN 337, 512. High ionization absorption in LMXBs.
- Popova, E.A., Shevchenko, I.I.* 2016, AstL 42, 474. (8) On the stability of circumbinary planetary systems.
- Prša, A. et al.* (22 authors) 2016, AJ 152, 41. Nominal values for selected solar and planetary quantities - IAU 2015 Resolution B3.
- Rapisarda, S., Ingram, A., van der Klis, M.* 2016, AN 337, 524. Testing propagating mass accretion rate fluctuations model PROPFLUC on BH XBs.
- Reig, P. et al.* (5 authors) 2016, A&A 590, A122. Long-term optical variability of HMXBs. II. Spectroscopy.
- Roberts, T.P. et al.* (6 authors) 2016, AN 337, 534. ULX behaviour: the ultraluminous state, winds and interesting anomalies.
- Sato, Y. et al.* (6 authors) 2016, ApJ 821, 67. (8c) Violent merger of WD binaries as a source of type Ia SNe.
- Schmitt, J.R. et al.* (25 authors) 2016, AJ 151, 159. Search for close companions to planet and EB candidates from Kepler extended mission.
- Schneider, F.R.N. et al.* (5 authors) 2016, MNRAS 457, 2355. Rejuvenation of stellar mergers and the origin of magnetic fields in massive stars.
- Şenavci, H.V. et al.* (5 authors) 2016, PASA 33, 43. Precise orbital solutions for KEPLER EBs of W UMa type showing total eclipses.
- Sheikhi, N. et al.* (6 authors) 2016, MNRAS 457, 1028. The binary fraction and mass segregation in the α Per open cluster.

Shiber, S., Schreier, R., Sokar, N. 2016, RAA 16, 117. Binary interactions with high accretion rates onto main sequence stars.

Skipper, C.J., McHardy, I.M. 2016, MNRAS 458, 1696. Probing the hard and intermediate states of XBs using short time-scale variability.

Sytov, A.Y., Bisikalo, D.V., Kaigorodov, P.V. 2016, ARep 60, 99. (8bcd) Envelope structure in T Tauri binary stars with subsonic orbital motion of one component.

Tutukov, A.V., Cherepashchuk, A.M. 2016, ARep 60, 461. (8c) The evolution of CBs.

Van Eylen, V., Winn, J.N., Albrecht, S. 2016, ApJ 824, 15. (8c) Comparison of orbital circularization rates of cool and hot EBs.

van Rossum, D.R. et al. (8 authors) 2016, ApJ 827, 128. LCs and spectra of WD mergers.

Vincent, F. H. et al. (4 authors) 2016, A&A 590, A132. (8ad) XB spectra in the lamp post model.

Vu, M-C. et al. (4 authors) 2016, MNRAS 459, 1543. Hot accretion flow with radiative cooling: state transitions in BH XBs.

Wang, C., Jia, K., Li, X.-D. 2016, MNRAS 457, 1015. On the formation of galactic BH LMXBs.

Wang, C., Jia, K., Li, X.-D. 2016, RAA 16, 126. The binding energy parameter for common envelope evolution.

Wang, J.-S. et al. (5 authors) 2016, ApJL 822, L7. (8c) Fast radio bursts may come from binary NSs spiraling in.

Wang, L.-J. et al. (4 authors) 2016, ApJ 823, 15. (8c) X-ray and γ -ray emission may test theory of magnetar formation.

Wang, S.-Q., Dai, Z.-G., Wu, X.-F. 2016, ChA&A 40, 141. Research developments in Li-Paczyński novae (I): theoretical aspect.

Yang, T.-G. et al. (5 authors) 2016, ChA&A 40, 256. Mathematical model for measuring pulsar parameters by pulsar timing observations and precision estimation.

Zhang, B. 2016, ApJ 827, L31. (8d) Charged stellar BH mergers produce fast radio or γ -ray bursts.

Zhang, Y.-Z. et al. (8 authors) 2016, ChA&A 40, 210. Spin-down of pulsars, and their electromagnetic and gravitational wave radiation.

Zorotovic, M. et al. (9 authors) 2016, MNRAS 457, 3867. Detached CVs are crossing the orbital period gap.

Collections of data

Borisov, N.V., Gabdееv, M.M., Afanasiev V.L. 2016, *AstBu* 71, 95. (3a, 5c) Photopolarimetric observations of the sample of IP candidates: V808 Aur (CRTS CSS081231 J071126+440405), MT Dra, IPHAS J052832.69+283837.6, 1RXS J184542.4+483134, CRTS CSS130604 J215427+155714.

Bours, M.C.P. et al. (22 authors) 2016, *MNRAS* 460, 3873. (1ao, 5abce) Long-term eclipse timings of 67 WD CBs.

Burenin, R.A. et al. (9 authors) 2016, *AstL* 42, 240. (6c) CVs detected in the 400d X-ray survey: VW CrB, HY Eri, SDSS J001912.58+220733.0, 1E 1240.8+0312, SDSS J152212.20+080340.9, 400d j154730.1+071151, 400d j160547.5+240524, SDSS J204720.76+000007.7.

Dai, X.-J. et al. (4 authors) 2016, *RAA* 16, 97. (1bg, 6ab) Identification of candidate millisecond pulsars from Fermi LAT observations.

Dai, Z. et al. (4 authors) 2016, *AJ* 152, 5. (2ao, 5abij) Kepler observations of CVs: UV Gem, RZ Leo, TW Vir, QZ Vir, SDSS J063213.10+253622.7 (1RXS J0632+2536), 1RXS J111236.7+002807 (CSS 1112+0028), SDSS J114633.93+005510.3 (WD 1144+011), USNO B1.0 1144-0115322.

David, T.J. et al. (10 authors) 2016, *AJ* 151, 110. (2a, 5de, 6a) Orbits for Pleiades binaries found by Kepler to be eclipsing: V1229 Tau (HD 23642), V1283 Tau (HII 2407), and new binaries V612 Tau (HCG 76), 2MASS J03465531+2411168 (MHO 9).

Djurašević, G. et al. (7 authors) 2016, *AJ* 152, 57. (1ao, 5abc) Photometric study of new contact binaries: 1SWASP J064501.21+342154.9, 1SWASP J155822.10−025604.8, 1SWASP J212808.86+151622.0, 2MASS J15582807−0257536 (UCAC4 436-062932).

Griffin, R.F. 2016, *Obs* 136, 64. (2a, 5d) RVs and orbits: HD 30410, HD 62599, HD 127742, HD 171006.

Griffin, R.F. 2016, *Obs* 136, 125. (2a, 5d) RVs and orbits: HD 76115, HD 149955, HD 163528 B, HDE 239027.

Griffin, R.F. 2016, *Obs* 136, 179. (2a, 5d) RVs and orbits: HD 32622, HD 76462, HD 78141, HD 111285 (P \sim 57.5 years).

Hong, K. et al. (5 authors) 2016, *MNRAS* 460, 650. (1i, 5abcf, 6ab) Apsidal motion of 90 eccentric binary systems in the SMC.

Huang, C.-Y. et al. (4 authors) 2016, *MNRAS* 457, 3859. (5ij, 8bd) High-frequency QPOs in four BH binaries modelled by resonances with magnetic connection between a spinning BH and relativistic AD: V1487 Aql (GRS 1915+105), V381 Nor (XTE J1550−564), V1033 Sco (GRO J1655−40), H 1743−322.

Kazarovets, E.V., Pastukhova, E.N. 2015, *PZP* 15, No. 5. (1a, 5b, 6d) A study of 20 EBs from the NSV catalog: NSV 10189, NSV 10193, NSV 10379, NSV 10388, NSV 10453, NSV 10480, NSV 10503, NSV 10683, NSV 10729, NSV 10734, NSV 10760, NSV 10917, NSV 10927, NSV 11037, NSV 11044, NSV 11047, NSV 11101, NSV 11137, NSV 11162, NSV 11220.

Kiefer, F. et al. (12 authors) 2016, *MNRAS* 458, 3272. (2a, 4c, 5deg) Accurate SB2 orbits for 10 binaries observed with *Gaia*: NY UMa (HD 100215), HD 15850, HD 18328, HD 23626, HD 110025, HD 112138, HD 120005, HD 163840, HD 183255, HD 195850. Mass of HD 163840 (HIP 87895).

Kilic, M. et al. (6 authors) 2016, MNRAS 460, 4176. (1x, 5cdegj) Chandra and Swift X-ray observations of four extremely low-mass (ELM) WDs with massive companions: SDSS J075519.47+480034.0, SDSS J081133.56+022556.7, SDSS J144342.74+150938.6, SDSS J213228.36+075428.2.

Kjurkchieva, D., Atanasova, T., Dimitrov, D. 2016, AN 337, 640. (1ao*, 5ceg) *Kepler* LCs of 20 detached EBs analyzed and orbital and physical parameters derived; spot and flare activity studied: KIC 3973002, 5021174, 5039441, 5288543, 5802470, 6697716, 7630658, 7749318, 8094140, 8621026, 8823397, 8879915, 9613070, 9637299, 10686876, 10718219, 11250867, 11922782, 11967004, 12010534.

Kjurkchieva, D.P. et al. (4 authors) 2016, RAA 16, 135. (1ao, 5cg) Photometric observations and LC solutions of the W UMa stars CSS J004004.7+385531, VSX J062624.4+570907, NSVS 2244206, NSVS 908513.

Klagyivik, P. et al. (13 authors) 2016, AJ 151, 110. (1ao, 5c) Nine EBs found in re-examination of the CoRoT SRc02 field with the Berlin exoplanet search telescope (BEST): SRc02 00049, 16165, 30685, 32071, 33910, 37225, 43701, 71988, 78521.

Koen, C., Koen, T., Gray, R.O. 2016, AJ 151, 168. (1ao) Multifilter LCs for 29 very short-period EB candidates: 1SWASP J000437.82+033301.2, 1SWASP J004050.63+071613.9, 2MASS J02272637+1156494, 1SWASP J030749.87-365201.7, 1SWASP J034439.97+030425.5, 1SWASP J040615.79-425002.3, 1SWASP J041655.13-492709.8, 2MASS J04112059-2302332, 1SWASP J050904.45-074 144.4, 1SWASP J051501.18-021948.7, 1SWASP J052036.84+030402.1, 2MASS J09275494-3910527, 1SWASP J114929.22-423049.0, 2MASS J11560563-0912573, 1SWASP J120110.98-220210.8, 1SWASP J121906.35-240056.9, 1SWASP J142312.63-222425.1, 2MASS J15165453+004826, 1SWASP J155822.10-025604.8, 1SWASP J160156.04+202821.6, 2MASS J16133577-2847225, 1SWASP J173828.46+111150.2, 1SWASP J195900.31-252723.1, 2MASS J21031997+0209339, 2MASS J21042404+0731381, 1SWASP J212454.61+203030.8, 1SWASP J212808.86+151622.0, 1SWASP J224747.20-351849.3, 2MASS J23261012-2941470.

Kozhevnikova, A.V., Alekseev, I.Y. 2015, ARep 59, 937. (5c) Long-term spottedness variations of 16 RS CVn stars: WY Cnc, CG Cyg, BI Cet, BY Cet, IN Com, EI Eri, IL Hya, V478 Lyr, YZ Men, V1355 Ori, IM Peg, AR Psc, MS Ser, V711 Tau, BH Vir, HU Vir.

Kozlowski, S.K. et al. (6 authors) 2016, PASP 128, 074201. (2ao, 5d, 7acd) Spectroscopic study of EBs during commissioning of new echelle spectrograph: ASAS J042724-2756.2, ASAS J061212-1215.8, ASAS J071626+0548.8, ASAS J072222-1159.8, ASAS J111134-4956.2, HD 141344 (ASAS J155259-6637.8), and SBs HD 60802, HD 87810.

Lapukhin, E.G., Veselkov, S.A., Zubareva, A.M. 2015, PZP 15, No. 8. (1a, 5b, 6bd) New variable stars in Cepheus: area of $2^{\circ}3 \times 2^{\circ}3$, centered at RA 22h00m, DEC $60^{\circ}00'$. Part I: USNO-A2.0 1425-12426157, USNO-A2.0 1425-12439848, USNO-A2.0 1425-12440914, USNO-A2.0 1425-12447142, USNO-A2.0 1425-12505831, USNO-A2.0 1425-12520441, USNO-A2.0 1425-12549174, USNO-A2.0 1425-12549449, USNO-A2.0 1425-12551884, USNO-A2.0 1425-12554456, USNO-A2.0 1425-12616926, USNO-A2.0 1425-12617201, USNO-A2.0 1425-12619392, USNO-A2.0 1425-12628124, USNO-A2.0 1425-12666784, USNO-A2.0 1425-12693782.

Lapukhin, E.G., Veselkov, S.A., Zubareva, A.M. 2016, PZP 16, No. 4. (5b, 6d) 25 new small amplitude variable stars in Lacerta, including 5 EBs: 2MASS 22424522+5300596, 2MASS 22432856+5150349, 2MASS 22512620+5203185, 2MASS 22530636+5257199, 2MASS 22542439+5136067.

Millman, K.E. et al. (5 authors) 2016, AJ 151, 152. (2ao, 5d) Spectroscopic orbits for 3 stars identified as members of sub-subgiant members of open cluster NGC 6791.

Morii, M. et al. (5 authors) 2016, PASJ 68, S11. (1x, 5j) Search for soft X-ray flashes at the fireball phase of classical/recurrent novae using MAXI/GSC data.

Nunez, N.E. et al. (4 authors) 2016, ApJ 824, 23. (2dx) X-ray observations of the symbiotic stars EG And, V417 CMa (= CD -28 3719), 4 Dra, Hen 3-461, Hen 3-1591.

Özdönmez, A. et al. (4 authors) 2016, MNRAS 461, 1177. (1i, 5e, 6a) Distances of 119 galactic novae.

Parimucha, S. et al. (4 authors) 2016, IBVS No. 6167. (5a) Minima times of selected EBs: UU And, AB And, AD And, BD And, EP And, GZ And, LO And, SS Ari, CL Aur, TY Boo, TZ Boo, XY Boo, AC Boo, GK Boo, SV Cam, AO Cam, CD Cam, DN Cam, NR Cam, TX Cnc, EH Cnc, BI CVn, TW Cas, BS Cas, CW Cas, DO Cas, V523 Cas, VW Cep, WZ Cep, GW Cep, RW Com, RZ Com, SS Com, CC Com, V401 Cyg, V1191 Cyg, V1918 Cyg, BE Dra, CM Dra, EF Dra, FU Dra, AK Her, V728 Her, V829 Her, V857 Her, V1024 Her, PP Lac, V344 Lac, CE Leo, RT LMi, UV Lyn, V714 Mon, V508 Oph, BB Peg, BX Peg, DI Peg, V432 Per, V449 Per, DV Psc, EX Psc, AU Ser, AH Tau, CT Tau, EQ Tau, XY UMa, AA UMa, HH UMa, TV UMi, AZ Vir.

Popov, A.A. et al. (6 authors) 2015, PZP 15, No. 7. (1a, 5b, 6bd) Variable stars in Cygnus discovered with Kourouka Planet Search. Part I: EBs of Algol type. V745 Cyg (2MASS 20314369+5052133), 2MASS 20242458+4959020, 2MASS 20243133+5042438, 2MASS 20250078+4938054, 2MASS 20250871+4957141, 2MASS 20252662+5026519, 2MASS 20253905+5123301, 2MASS 20254651+5023230, 2MASS 20260213+5006032, 2MASS 20261094+5105556, 2MASS 20264315+5123555, 2MASS 20264501+5058461, 2MASS 20280965+5026039, 2MASS 20282625+5042557, 2MASS 20283375+4943090, 2MASS 20284275+5056392, 2MASS 20284845+4956372, 2MASS 20285270+5040446, 2MASS 20290715+5115180, 2MASS 20292815+4941172, 2MASS 20293182+5016165, 2MASS 20293524+4948122, 2MASS 20295378+5013551, 2MASS 20300448+5036253, 2MASS 20301347+5113011, 2MASS 20311210+4937018, 2MASS 20311925+4944187, 2MASS 20315610+4955072, 2MASS 20321743+5053479, 2MASS 20324567+5052056, 2MASS 20331729+5118556, 2MASS 20333229+5028573, 2MASS 20335379+5035040, 2MASS 20340397+4952136, 2MASS 20340645+5016488, 2MASS 20341922+4940430, 2MASS 20343391+5000303, 2MASS 20344126+5111171, 2MASS 20344804+5035109, 2MASS 20345474+5047344, 2MASS 20345937+4942109, 2MASS 20350000+5044395, 2MASS 20350181+4945252, 2MASS 20352554+5033285, 2MASS 20353462+5028218.

Rebassa-Mansergas, A. et al. (8 authors) 2016, MNRAS 458, 3808. (2abc, 5deg) The SDSS spectroscopic catalogue of 938 WD-main-sequence binaries.

Romanyuk, I.I. et al. (4 authors) 2016, AstBu 71, 302. (2ac) Results of magnetic field measurements of CP-stars performed with the 6-m telescope. III. Observations in 2009: V901 Ori (HD 37776), HD 965, HD 2453, HD 2887, HD 5441, HD 5797, HD 6757, HD 19712, HD 22326, HD 23924, HD 25999, HD 27404, HD 32549, HD 35100, HD 38823, HD 45583, HD 48331, HD 52711, HD 65339, HD 71369, HD 93294, HD 112413, HD 137909, HD 158450, HD 158974, HD 168856, HD 170860, HD 178308, HD 178892, HD 182255, HD 184471, HD 198920, HD 199180, HD 201174, HD 201601, HD 216018, HD 217401, HD 221936, HD 225627, HD 227695, HD 258686, HD 343872, BD+41°43, BD+00°4535.

Romanyuk, I.I. 2016, AstBu 71, 314. (2ac, 6a) Magnetic fields of chemically peculiar and related stars. 2. Main results of 2015 and near-future prospects.

Sperauskas, J. et al. (4 authors) 2016, ApJ 826, 85. (2ao, 5gh) The binary nature of CH-like stars: s Her (HD 148897), HD 30443, HD 197604, HD 202851, BD+75°348, BD+71°600, BD+57°2161,

BD+41°2150, BD+29°95, BD+19°3109, BD+16°2188, BD+08°2654A, BD+08°2654B, BD+08°2654C, BD+02°3336, NGC 2420 250.

Tokovinin, A. 2016, AJ 152, 10. (2a, 5d) Spectroscopic orbits in multiple systems: HD 12759 (HIP 9642), HD 17134 (HIP 12779-80), HD 28790 (HIP 41742, HR 4980 (HIP 64478).

Tokovinin, A. 2016, AJ 152, 11. (2a, 5d) Spectroscopic orbits in young solar-type triple systems: HD 10800 (HIP 7601), HD 18198 (HIP 13498), HD 35877 (HIP 23824), HD 217379 (HIP 113597).

Tomida, H. et al. (8 authors) 2016, PASJ 68, S29. (1x, 6a) The first MAXI/SSC catalog of X-ray sources in 0.7–7.0 keV.

Tzouganatos, L. et al. (4 authors) 2016, IBVS No. 6165. (5a) Minima timings of EBs: V395 And, XZ Aql, AR Aur, V402 Aur, V410 Aur, CK Boo, XY Boo, V445 Cep, TZ Dra, TX Her, V899 Her, AQ Psc, DZ Psc, VY Sex, YY Sgr, V505 Sgr, HH UMa, MS Vir, GSC 4778-0001.

Yukita, M. et al. (22 authors) 2016, ApJ 824, 107. (2dx) M83 X-Ray sources include intermediate accretion state BH binaries and NS LMXBs.

Willmarth, D.W. et al. (4 authors) 2016 AJ 152, 46. (2a, 5d) Spectroscopic orbits for 15 late-type stars: 53 Aqr, 4 Equ, 63 Eri, 38 LMi, 49 Lib, 34 Peg, HR 1406, HR 3430, HD 4285, HR 4498, HR 5209, HR 5213, HR 7477, HR 7801, HD 197214.

Zasche, P. et al. (5 authors) 2016, A&A 590, A85. (5ab) The first study of the light-travel time effect in massive LMC EBs: OGLE-LMC-06242, 08823, 09971, 10140, 15313, 19996, 20162, 20582.

Zheleznyak, A. (6 authors) 2015, PZP 15, No. 6. (1c, 5b, 6bd) VR_c photometry of new variable stars detected in a field from the photographic plate collection of Sternberg Institute: USNO-B1.0 1454-0000300, USNO-B1.0 1466-0470221, USNO-B1.0 1448-0463974, USNO-B1.0 1449-0464536, USNO-B1.0 1456-0471499, USNO-B1.0 1456-0471990.

Proceedings of Conferences, Symposia, and Monographs

IAU Commission G1

BIBLIOGRAPHY OF CLOSE BINARIES

No. 103, December 2016

Editor-in-Chief: W. Van Hamme

Department of Physics
Florida International University
Miami, FL 33199, U.S.A.

Phone: +1 305 348-3670
Fax: +1 305 348-6700
vanhamme@fiu.edu