Name: ———————————————————   **Panther ID:** ———————————

Exam 1 - MAC2311 -   Spring 2016

Important Rules:

1. Unless otherwise mentioned, to receive full credit you MUST SHOW ALL YOUR WORK. Answers which are not supported by work might receive no credit.
2. Please turn your cell phone off at the beginning of the exam and place it in your bag, NOT in your pocket.
3. No electronic devices (cell phones, calculators of any kind, etc.) should be used at any time during the examination. Notes, texts or formula sheets should NOT be used either. Concentrate on your own exam. Do not look at your neighbor's paper or try to communicate with your neighbor.
4. Solutions should be concise and clearly written. Incomprehensible work is worthless.

1. (12 pts) These are True or False questions. Circle your answer (2 pts) and briefly justify (2 pts).

(a) If $\lim_{x \to 3} f(x) = 6$ and $\lim_{x \to 3} g(x) = -1$ then $\lim_{x \to 3}(f(x)+2g(x)) = 4$ **True   False**

Justification:

(b) The function $f(x) = \cot x$ is defined and is continuous for all real numbers x.   **True   False**

Justification:

(c) If $\lim_{x \to a} f(x) = 0$ and $\lim_{x \to a} g(x) = 0$ then $\lim_{x \to a} \dfrac{f(x)}{g(x)} = 0$ **True   False**

Justification:

(d) The equation $x^3 - 8x + 1 = 0$ has a real solution in the interval [1,2].   **True   False**

Justification:

2. (40 pts) Find the following limits (5 pts each). If the limit is infinite or does not exist, specify so.

(a) $\lim\limits_{x \to 2} \dfrac{3x - 6}{x^2 - 5x + 6}$

(b) $\lim\limits_{x \to -3^-} \dfrac{1 + 2x}{x + 3}$

(c) $\lim\limits_{t \to 2} \dfrac{|t - 2|}{t^2 - 4}$

(d) $\lim\limits_{x \to -\infty} \dfrac{x - 4x^5}{1 + 2x^2 + 3x^4}$

(e) $\lim\limits_{x \to 0} \dfrac{\tan(5x)}{x + \sin(2x)}$

(f) $\lim\limits_{x \to -\infty} \dfrac{\sqrt{2x^2 + 1}}{x + 2}$

(g) $\displaystyle\lim_{x\to 0} \frac{1-\cos(3x)}{x^2}$

(h) $\displaystyle\lim_{x\to +\infty} \frac{1-\cos(3x)}{x^2}$

3. (12 pts) Sketch the graph of ONE function $f(x)$ satisfying ALL of the following conditions.

(i) The function is defined and continuous everywhere except $x = 0$ and $x = 3$;
   The function is not defined at the points $x = 0$ and $x = 3$;

(ii) $\displaystyle\lim_{x\to 0} f(x) = -\infty$;

(iii) $\displaystyle\lim_{x\to 3^-} f(x) = -2$, $\displaystyle\lim_{x\to 3^+} f(x) = 0$;

(iv) $\displaystyle\lim_{x\to -\infty} f(x) = -2$, $\displaystyle\lim_{x\to +\infty} f(x) = 2$.

4. (10 pts) Use limits to find the slope of the tangent line to the graph of $f(x) = x^2 - 3x$ at $x = 3$.

5. (10 pts) Given the function below

$$g(x) = \begin{cases} kx^2 - 1 & \text{if } x \leq 1 \\ 2x + k & \text{if } x > 1 \end{cases}$$

(a) (5 pts) Is there a value of the constant k which will make the function continuous? Justify your answer.

(b) (5 pts) Sketch the graph of the function $g(x)$ when $k = 1$.
Label carefully the coordinates of important points.

6. (a) (3 pts) Write the general (ϵ, δ) definition for $\lim\limits_{x \to a} f(x) = L$.

Choose ONE of the parts (b) and (c). Only ONE will receive credit. Note the different point values.

(b) (7 pts) Use the (ϵ, δ) definition to prove $\lim\limits_{x \to -2} (5x+4) = -6$.

(c) (12 pts) Use the (ϵ, δ) definition to prove $\lim\limits_{x \to 2} (2x^2+3) = 11$.

8. (10 pts) Find the point(s) on the graph of $f(x) = 2x^3 - 6x$ where the tangent line is horizontal. (Here you can use the shortcuts for derivative computations.)

9. (10 pts) Choose ONE of the following:

(a) State and prove the quadratic formula.

(b) Use geometry (areas) to prove the inequality $\sin\theta \leq \theta \leq \tan\theta$ for any $\theta \in (0, \pi/2)$.